

Configure Mini App

App Name	PP Advanced Ordering Syst		
Description	Allow portal users to create orders with items. Uses some JS hacks		
Authentication	Username / Password (text) ⓘ		
Linked App	Users	+d	
User or Email Field	Username		
Password Field	Password		
Screens	Name: myOrdersType: Podio App View # My Orders Podio App: Orders +d Items From: Related Item Related App: Users Sort Order: Item ID descending Display As: Table Show Fields: Date User Status Total On Click: orderDetails <button class=primary>[New Order] (@[pf_screen:newOrder])</button> Name: itemListType: Podio App View Podio App: Order Items +d Items From: Related Item Related App: Orders Sort Order: Item ID descending Display As: Table Show Fields: Order Qty Product Each On Click: Name: buildOrderType: Podio Item ## Build Order Podio App: Orders Item Mode: View		

Field	Use
Date	☒
User	☐
Status	☒
Total	☒

☐ Show Files
☐ Show Comments
☐ Allow adding Comment

```

@[pf_embed:itemList]

<button class=primary>[Add Item]
(@[pf_screen:AddItem])</button> <button
class=primary>[Confirm Order]
(@[pf_screen:confirmOrder])</button>

<script>
$(document).on("pfEndDelayed", function() {
  $("button:not(.primary)").hide();
});
</script>
  
```

+h +f

Name: Type:

please stand by ...

Podio App:
 Item Mode:

Field	Use	Lock	Hide	Default
Date	☒	☐	☒	@[pf_current_date]
User	☒	☐	☒	@[pf_auth_item_id]
Status	☒	☐	☒	New

☐ Show Files
☐ Allow Adding/Removing Files in Edit

On Submit:

```

<script>
$(document).on("pfEndDelayed", function() {
  $("button").hide();
  $("button.pf-button.primary").click();
});
</script>
  
```

+h +f

Name: Type:

Add Item

Podio App:
 Item Mode:

Field	Use	Lock	Hide	Default
Order	☒	☐	☒	@[pf_app_item:23981130]
Qty	☒	☐	☐	
Product	☒	☐	☐	

☐ Show Files
☐ Allow Adding/Removing Files in Edit
 On Submit:

+h +f

Name:
Type:

please stand by ...

Podio App:
Item Mode:

Field	Use	Lock	Hide	Default
Date	☐	☐	☐	
User	☐	☐	☐	
Status	☒	☐	☒	Confirmed
Total	☐	☐	☐	

☐ Show Files
☐ Allow Adding/Removing Files in Edit
☐ Show Comments
☐ Allow adding Comment
 On Submit:

```

<script>
$(document).on("pfEndDelayed", function() {
    $("button").hide();
    $("button.pf-button.primary").click();
});
</script>

```

+h +f

Name:
Type:

Order Details

Podio App:
Item Mode:

Field	Use
Date	☒
User	☐
Status	☒
Total	☒

☐ Show Files
☐ Show Comments
☐ Allow adding Comment

```
@[pf_embed:itemList]

<button>[Back to Orders]([pf_screen:myOrders])
</button> <button class=primary
style="display:none">[Complete Order]
([pf_screen:buildOrder])</button>

<script>
$(document).on("pfEndDelayed", function() {
  if ( $(".pf-form-row[data-for=status]").text() ==
"StatusNew" ) {
    $(".button.primary").show();
  }
});
</script>
```

?

+h +f

+ Add Screen

Start Screen

myOrders

Save Cancel Clone Delete

*a